

195 UTOPIA ARM



195-SMLG



195-TMLG



195-TWLG



195-SB



195-ADKB



195-PED



195-PLGB



195-PLGW



195-DKB



195-QTW

OVERALL DIMENSIONS:



30.5 22 24 18.5 24 INCHES

YARDAGE:

COM: 2 yards per chair (based on based on plain, non-directional, no repeat textile)

SPECIFICATION:

- Chair starts with a cold molded foam shell, which is made from a metal frame injected with PU foam.
- Shell seat is then wrapped in ¼" high density CAL 117 FR foam.
- Shell back and sides is wrapped in Dacron.
- Available in the following bases:

Straight Metal Leg (SMLG) version is manufactured using Ø16 mm steel tubing. Available in any standard ISA powder coat or plated finish.

Tapered Metal Legs (TMLG) version is manufactured using Ø38 mm, 16 gauge steel tube. Leg is Ø38 mm at the top and tapers down to Ø16 mm. Available in any standard ISA powder coat or plated finish.



Tapered Wood Legs (TWLG) are tapered and made from Ash wood. Leg is Ø40 mm at the top tapering down to Ø25 mm. Available in any standard ISA wood finish.

Sled Base (SB) version is manufactured using Ø11 mm steel rod in polished chrome finish.

Adjustable Desk Base (ADKB): Five prong metal base (26" x 26" spread) with dual wheel casters, swivel, locking and tension control tilt & gas lift mechanism. Finished in Polished Aluminum/P77. Seat height ranges from 21.5" to 28.5" (counter and bar)

Beech Plywood Legs (PLGB): High frequency molded with 30 layers, 1 1/8" thick. Legs taper from 2" at the top to 1 1/4" at the bottom. Profile is machined for an aesthetic V-shape. Available in any ISA standard wood finish.

Walnut Plywood Legs (PLGW): High frequency molded, with 30 layers, 1 1/8" thick. Legs taper from 2" at the top to 1 1/4" at the bottom. Profile is machined for an aesthetic V-shape. Finished with clear coat.

Desk Base (DKB): Five prong metal base (26" x 26" spread) with dual wheel casters, swivel, locking and tension control tilt & gas lift mechanism. Finished in Polished Aluminum/P77. Seat height ranges from 18.5 to 22.5 (desk)

Quatre Wood Base (QTW) – Solid Ash 4-prong base with no-return swivel. Tapers from 4 1/2" x 1 1/2" at the top to 1 1/2" x 1" at the bottom. Finished in any standard ISA wood finish.