

398-TD MAESTRO TREND ARM CHAIR



OVERALL DIMENSIONS:



DIMENSIONS ARE APPROXIMATE AND MAY VARY SLIGHTLY BASED ON LEG STYLE

YARDAGE:

COM: 2 yards per chair (based on non-directional, no-repeat material)

*This item requires memo sample for approval prior to production

SPECIFICATION:

- Chair starts with a cold molded foam shell, which is made from a metal frame injected with PU foam.
- Shell seat is wrapped in 1/4" high density CAL 117 FR foam.
- Shell back and sides is wrapped in Dacron.
- Straight Metal Leg (SMLG) version is manufactured using Ø16 mm steel tubing. Available in any standard ISA powder coat finish and P77 Polished Chrome.
- Tapered Metal Legs (TMLG) version is manufactured using Ø38 mm, 16 gauge steel tube. Leg is Ø38 mm at the top and tapers down to Ø16 mm. Available in any standard ISA powder coat finish and P77 Polished Chrome.
- Tapered Wood Legs (TWLG) are tapered and made from Ash wood. Leg is Ø38 mm at the top tapering down to Ø25 mm. Available in any standard ISA wood finish.
 - Desk Base (DKB)-Five prong base is constructed from chromed cast aluminum with chrome capped dual wheel casters. *Dimensions for Desk Base (DKB): H: 31 ½ "-35" / D:27"D / W: 27" / AH: 22 ½" 26.5"/ SH: 19"-22 ½".

