


457 VERSAILLES SIDE CHAIR



OVERALL DIMENSIONS:




YARDAGE:

COM: (1.5 yards each – based on plain, non-directional, no repeat textile)

458 VERSAILLES ARM CHAIR



OVERALL DIMENSIONS:



YARDAGE:

COM: (1.75 yards each – based on plain, non-directional, no repeat textile)

459 VERSAILLES LOUNGE CHAIR



OVERALL DIMENSIONS:




YARDAGE:

COM: (2 yards each – based on plain, non-directional, no repeat textile)

1457 VERSAILLES BARSTOOL



OVERALL DIMENSIONS:



YARDAGE:

COM: (1.5 yards each – based on plain, non-directional, no repeat textile)

SPECIFICATION:

- Frame shall be constructed from solid kiln dried beech. Lumber to be dried to a final moisture content between 6% - 8%.
- Front legs to be constructed from single stock lumber. Finished dimension at the top of leg to be 1 ¼" x ¼" tapering to 1" x 1" at bottom.
- Rear legs to be constructed from single stock lumber cut to shape. Finished dimensions at the top of leg to be 1 ½" x 1 ½" tapering to 1 ¼" x 1 ¼".
- Frame and seat frame are connected together by dowels, corner blocks, bolts and glue.
- Seat shall be ½" thick solid core ply with webbing and applied to the solid beech frame. The seat is attached to the beech frame via screws. High density CAL 117 FR foam and upholstery are applied after assembly.