

375 / 376 / 1375 MARQUIS SERIES



375 Marquis Stack




376 Marquis Arm Stack



1375 Marquis Stool

OVERALL DIMENSIONS 375 SIDE CHAIR:



OVERALL DIMENSIONS 376 ARM CHAIR:



OVERALL DIMENSIONS 1375 STOOL:



DIMENSIONS ARE APPROXIMATE

YARDAGE:

375 SIDE CHAIR: 1 yard per two chairs (based on based on plain, non-directional, no repeat textile)

376 ARM CHAIR: 1 yard per two chairs (based on based on plain, non-directional, no repeat textile)

1375 STOOL: 1 yard per two stools (based on based on plain, non-directional, no repeat textile)

SPECIFICATIONS:

- Chair and Stool frame shall be constructed from (European select) solid kiln dried beech. Lumber to be dried to a final moisture content between 6% - 8%.



- Front legs to be constructed from single stock lumber. Finished dimension at the top of leg to be $1\frac{3}{4}$ " x $1\frac{3}{4}$ " tapering to 1" x $1\frac{1}{4}$ " at bottom.
- Rear legs to be constructed from compounded curved single stock lumber. Finished dimensions are $1\frac{1}{4}$ " x $1\frac{3}{4}$ " at the top of the leg, tapering to 1" x $1\frac{1}{2}$ " at bottom.
- Front and side seat rails are to be not less than $2\frac{1}{4}$ " x $1\frac{3}{4}$ " finished dimension. Both side and front rails attach to the front legs by mortise and tenon.
- Side, front and back stretchers $\frac{3}{4}$ " x 1" connect all four legs. Stool features a metal protective footrest on front stretcher, available in Black, Brass or Satin Aluminum finishes.
- The seat panel is to be produced from $\frac{3}{8}$ " plywood and exhibit three lips (two sides and one front). The panel is to be covered in high density CAL 117 foam and upholstery as specified.
- All exposed wood to be finished in any standard ISA wood finish, and to receive a semi-gloss urethane clear coat for added protection.
- Includes nail-in nylon glides on all models.
- Stools are also available as a Counter Stool (24" seat height).